



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/046,909	01/17/2002	Masayoshi Nishitani	24886	3391

20529 7590 01/08/2007
NATH & ASSOCIATES
112 South West Street
Alexandria, VA 22314

EXAMINER

CERVETTI, DAVID GARCIA

ART UNIT	PAPER NUMBER
----------	--------------

2136

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/08/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/046,909

Applicant(s)

NISHITANI ET AL.

Examiner

David G. Cervetti

Art Unit

2136

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 October 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☒ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicant's arguments filed October 20 and July 26, 2006, have been fully considered but they are not persuasive.
2. Claims 1-9 are pending and have been examined.

Response to Amendment

3. Powell teaches comparing values to a relative minima and a relative maxima (columns 3 and 4) which are analogous to Applicant's first and second counters.

Applicant's arguments are not persuasive.

Claim Rejections - 35 USC § 103

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
5. **Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Braudaway et al. (US Patent Number: 5,825,892, hereinafter "Braudaway"), and further in view of Powell et al. (US Patent Number: 6,137,892, hereinafter "Powell").**

Regarding claim 1, Braudaway teaches a digital watermarking apparatus comprising:

- specifying means for specifying a line of pixel data included in received image signals **(column 8, lines 1-6);**
- encryption data generating means for encrypting the digital watermark and for outputting encryption data **(column 7, lines 1-10); and**

- using non-overlapping selector positions and statistical relationships between elements and their neighbors or non-neighbors (**column 21, lines 15-38**).

Braudaway does not disclose expressly comparing an average of intensity values or color difference values of all pixels in the specified line in the received image signals with an intensity value or a color difference value of each pixel in a line adjacent to the specified line and in which the digital watermark is to be embedded.

However, Powell teaches

- mixing means for comparing an average of intensity values or color difference values of all pixels in the specified line in the received image signals with an intensity value or a color difference value of each pixel in a line adjacent to the specified line and in which the digital watermark is to be embedded (**column 4, lines 10-34**),
- to find, for all pixels in the adjacent line, a first counter value and a second counter value, said first counter value indicating a number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating a number of pixels each of which has an intensity value or a color difference value smaller than the average, for transforming the intensity value or the color difference value of each pixel in the adjacent line (**column 7, lines 5-40**)
- with reference to the average to change the first counter value and the second counter value

- such that a large and small relation between the first counter value and the second counter value obtained by the comparison with the average becomes a relation according to a bit value 1 or 0 of the encryption data from said encryption data generating means, and for outputting the received image signals as watermarked image signals (**column 4, lines 1-67, column 5, lines 1-30**).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use difference of averages to create the digital watermark in the system of Braudaway. One of ordinary skill in the art would have been motivated to perform such a modification to permit modification of the image without losing the digital signature (Powell, column 1, lines 37-49).

Regarding claim 2, the combination of Braudaway and Powell teaches the limitations as set forth under claim 1 above. Furthermore, Powell teaches wherein said mixing means comprises:

- average calculating means for calculating the average of the intensity values or the color difference values of the pixels in the specified line of the received image signals (**column 4, lines 1-35**);
- counter value calculating means for comparing the average with the intensity value or the color difference value of each pixel in the adjacent line to calculate, for all pixels in the adjacent line, the first counter value and the second counter value, said first counter value indicating the number of pixels each of which has an intensity value or a color

difference value larger than the average, said second counter value indicating the number of pixels each of which has an intensity value or a color difference value smaller than the average (**column 5, lines 1-39**); counter value comparing means for comparing the first counter value and the second counter value; and

- transforming means for transforming the intensity values or the color difference values of all pixels in the adjacent line with reference to the average to change the first counter value and the second counter value such that, when the value of the encryption data from said encryption generating means is the bit value 1 (**column 6, lines 1-55**), said counter value comparing means gives a comparison result indicating that the first counter value is larger than the second counter value (**column 5, lines 1-15**) and such that, when the value of the encryption data from said encryption generating means is the bit value 0, said counter value comparing means gives a comparison result indicating that the first counter value is smaller than the second counter value, wherein the transformed signals are output as the watermarked image signals, the intensity value or the color difference value or each pixel in the adjacent line of the transformed signals being transformed by said transforming means according to the value of the encryption data (**column 4, lines 1-67, column 5, lines 1-24, column 8, lines 1-5**).

Regarding claim 3, Braudaway teaches a digital watermarking method comprising:

- a first step for specifying a line of pixel data included in received image signals (**column 8, lines 1-6**);
- a second step for encrypting a digital watermark and for outputting encryption data (**column 7, lines 1-10**); and
- using non-overlapping selector positions and statistical relationships between elements and their neighbors or non-neighbors (**column 21, lines 15-38**).

Braudaway does not disclose expressly comparing an average of intensity values or color difference values of all pixels in the specified line in the received image signals with an intensity value or a color difference value of each pixel in a line adjacent to the specified line and in which the digital watermark is to be embedded.

However, Powell teaches

- a third step for comparing an average of intensity values or color difference values of all pixels in the specified line in the received image signals with an intensity value or a color difference value of each pixel in a line adjacent to the specified line and in which the digital watermark is to be embedded (**column 4, lines 1-67**),
- to find, for all pixels in the adjacent line, a first counter value and a second counter value, said first counter value indicating a number of pixels each of which has an intensity value or a color difference value

- larger than the average, said second counter value indicating a number of pixels each of which has an intensity value or a color difference value smaller than the average (**column 7, lines 5-40**); and
- a fourth step for transforming the intensity value or the color difference value of each pixel in the adjacent line (**column 7, lines 5-40**)
 - with reference to the average to change the first counter value and the second counter value such that a large and small relation between the first counter value and the second counter value obtained by the comparison with the average becomes a relation according to a bit value 1 or 0 of the encryption data and for outputting the received image signals as watermarked image signals (**column 4, lines 1-67, column 5, lines 1-30**).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use difference of averages to create the digital watermark in the system of Braudaway. One of ordinary skill in the art would have been motivated to perform such a modification to permit modification of the image without losing the digital signature (Powell, column 1, lines 37-49).

Regarding claim 4, the combination of Braudaway and Powell teaches the limitations as set forth under claim 3 above. Furthermore, Powell teaches wherein said third step comprises:

- a fifth step for calculating the average of the intensity values or the color difference values of the pixels in the specified line of the received image signals (**column 4, lines 1-35**); and
- a sixth step for comparing the average with the intensity value or the color difference value of each pixel in the adjacent line to calculate, for all pixels in the adjacent line, the first counter value and the second counter value, said first counter value indicating the number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating the number of pixels each of which has an intensity value or a color difference value smaller than the average (**column 5, lines 1-39**), and
- wherein said fourth step comprises:
 - a seventh step for comparing the first counter value and the second counter value; and
 - an eighth step for transforming the intensity values or the color difference values of all pixels in the adjacent line (**column 5, lines 1-15**) with reference to the average to change the first counter value and the second counter value such that, when the value of the encryption data is the bit value 1 (**column 6, lines 1-55**), a comparison result indicating that the first counter value is larger than the second counter value is obtained and such that,

- when the value of the encryption data is the bit value 0, a comparison result indicating that the first counter value is smaller than the second counter value is obtained (**column 4, lines 1-67, column 5, lines 1-24, column 8, lines 1-5**).

Regarding claim 5, Braudaway teaches a digital watermark reproducing apparatus comprising:

- specifying means for receiving digitally watermarked image signals as input signals and for specifying a line of pixel data (**column 8, lines 1-6**).

Braudaway does not disclose expressly comparing an average of intensity values or color difference values of all pixels in the specified line in the received image signals with an intensity value or a color difference value of each pixel in a line adjacent to the specified line and in which the digital watermark is to be embedded.

However, Powell teaches

- said digitally watermarked image signals being generated by transforming signals in a line adjacent to the specified line of the image signals to change a first counter value and a second counter value according to a bit value 1 or 0 of encryption data generated by encrypting a digital watermark (**column 4, lines 1-67**);
- extracting means for comparing an average of intensity values or color difference values of all pixels in the specified line in the digitally watermarked image signals with an intensity value or a color difference value of each pixel in the adjacent line (**column 4, lines 10-34, column**

6, lines 12-28) to find, for all pixels in the adjacent line, said first counter value and said second counter value, said first counter value indicating a number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating a number of pixels each of which has an intensity value or a color difference value smaller than the average, and for extracting from the adjacent line the encryption data which is determined to be the bit value 1 or 0 according to a large and small relation between the first counter value and the second counter value obtained by the comparison with the average (**column 6, lines 1-67, column 7, lines 1-40**); and

- a decrypting means for decrypting the extracted the encryption data to an original watermark for output (**column 4, lines 1-67, column 5, lines 1-30, column 6, lines 1-64**).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use difference of averages to create the digital watermark in the system of Braudaway. One of ordinary skill in the art would have been motivated to perform such a modification to permit modification of the image without losing the digital signature (Powell, column 1, lines 37-49).

Regarding claim 6, the combination of Braudaway and Powell teaches the limitations as set forth under claim 5 above. Furthermore, Braudaway teaches wherein said extracting means comprises:

- average calculating means for calculating the average of the intensity values or the color difference values of the pixels in the specified line of the digitally watermarked image signals (**column 17, lines 5-44**);
- counter value calculating means for comparing the average with the intensity value or the color difference value of each pixel in the adjacent line to calculate, for all pixels in the adjacent line, the first counter value and the second counter value, said first counter value indicating the number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating the number of pixels each of which has an intensity value or a color difference value smaller than the average (**column 16, lines 31-67**);
- counter value comparing means for comparing the first counter value and the second counter value; and encryption data extracting means for extracting the encryption data determined to be the bit value 1 when said counter value comparing means gives a comparison result indicating that the first counter value is larger than the second counter value or for extracting the encryption data determined to be the bit value 0 (**column 16, lines 1-67**) when said counter value comparing means gives a comparison result indicating that the first counter value is smaller than the second counter value (**column 21, lines 5-37**).

Regarding claim 7, Braudaway teaches a digital watermark reproducing method comprising:

- a first step for receiving digitally watermarked image signals as input signals and for specifying a line of pixel data, said digitally watermarked image signals being generated by transforming signals in a line adjacent to the specified line of the image signals to change a first counter value and a second counter value according to a bit value 1 or 0 of encryption data generated by encrypting a digital watermark (**column 16, lines 1-30**).

Braudaway does not disclose expressly comparing an average of intensity values or color difference values of all pixels in the specified line, extracting from the adjacent line the encryption data, or decrypting the extracted encryption data to an original watermark for output.

However, Powell teaches

- a second step for comparing an average of intensity values or color difference values of all pixels in the specified line in the digitally watermarked image signals with an intensity value or a color difference value of each pixel in the adjacent line (**column 6, lines 12-28**)
- to find, for all pixels in the adjacent line, a first counter value and a second counter value, said first counter value indicating a number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating a number

of pixels each of which has an intensity value or a color difference value smaller than the average (**column 6, lines 29-54**);

- a third step for extracting from the adjacent line the encryption data which is determined to be the bit value 1 or 0 according to a large and small relation between the first counter value and the second counter value obtained by the comparison with the average; and
- a fourth step for decrypting the extracted encryption data to an original watermark for output (**column 6, lines 55-64**).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use difference of averages to create the digital watermark in the system of Braudaway. One of ordinary skill in the art would have been motivated to perform such a modification to permit modification of the image without losing the digital signature (Powell, column 1, lines 37-49).

Regarding claim 8, the combination of Braudaway and Powell teaches the limitations as set forth under claim 7 above. Furthermore, Braudaway teaches wherein said second step comprises:

- a fifth step for calculating the average of the intensity values or the color difference values of the pixels in the specified line of the digitally watermarked image signals (**column 17, lines 5-44**); and
- a sixth step for comparing the average with the intensity value or the color difference value of each pixel in the adjacent line to calculate, for all pixels in the adjacent line, the first counter value and the second

- counter value, said first counter value indicating the number of pixels each of which has an intensity value or a color difference value larger than the average, said second counter value indicating the number of pixels each of which has an intensity value or a color difference value smaller than the average (**column 16, lines 31-67**), and
- wherein said third step comprises: a seventh step for comparing the first counter value and the second counter value; and
 - an eighth step for extracting the encryption data determined to be the first value bit value 1 when said seventh step gives a comparison result indicating that the first counter value is larger than the second counter value or for extracting the encryption data determined to be the second bit value 0 (**column 16, lines 1-67**)
 - when said seventh step gives a comparison result indicating that the first counter value is smaller than the second counter value (**column 21, lines 1-37**).

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Braudaway and Powell as applied to claim 1 above, and further in view of Abe (US Patent Number: 6,580,804).

Regarding claim 9, the combination of Braudaway and Powell does not expressly disclose wherein said specifying means specifies an edge line of pixel data included in the received image signal. However, Abe teaches wherein said specifying means specifies an edge line of pixel data included in the received image signal

Art Unit: 2136

(column 3, lines 20-55). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to place a digital watermark along the edge of a digital image. One of ordinary skill in the art would have been motivated to do so make the digital watermark more resistant to image processing and or image deletion without an inordinate amount of calculation (Abe, **column 1, lines 10-54**).

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David G. Cervetti whose telephone number is (571) 272-5861. The examiner can normally be reached on Monday-Friday 7:00 am - 5:00 pm, off on Wednesday.


9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nasser G. Moazzami can be reached on (571) 272-4195. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2136

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DGC

NASSER MOAZZAMI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100


1/3/07